Prepared by\ Return to:

Cyndy Howell, IA Department of Transportation, Right of Way Office, 800 Lincoln Way, Ames, IA 50010, 515-239-1534. Address Tax Statements: Michael D. Aschenbrenner, 201 S. Harrison Street, Fremont, IA 52561

State of Iowa OFFICE OF

THE SECRETARY OF STATE

Patent No. 5866

STATE LAND OFFICE

The STATE OF IOWA, subject to conditions listed in this patent, hereby conveys to Michael D. Aschenbrenner, real estate in Wapello County, lowa, and more particularly described as follows:

A parcel of land known as Auditor's Parcel "C" being a part of the N ½ of the SW ¼ of Section 28, Township 72 North, Range 13 West of the 5th P.M., Wapello County, Iowa, as shown and described in a Plat of Survey filed in the records of the Wapello County Recorder in Book 12-K, Page 728, Document # 2011-0290 on January 19, 2011, containing 29.23 acres more or less including 0.67 acres more or less in county road right of way and subject to all easement and restrictions of record.

Direct access between the above described parcel of land and U.S. 34 will be prohibited.

The State retains the right of entry thereon for the purpose of constructing and maintaining the right of way fence. The fence shall be maintained for vehicle access control purposes only. The State will be held blameless and without liability for fencing private property or maintaining the same. The buyer may pasture against said fence at their own peril and the State will be held blameless and without liability for fencing private property or maintaining the same to restrain livestock.

These provisions run with the land and are binding upon buyers, their heirs, successors, and assigns.

Declaration of Value Filing is not required, as the State of Iowa is the Grantor and exempt from such filing by Section 428A.2(6) of the Code of Iowa.

CONDITIONS: Authority and consideration for issuance of this patent are stated in the certificate of the **Right of Way Director of the lowa Department of Transportation** filed with the State Land Office as provided in *Iowa Code* Section 9G.6. This conveyance is subject to the conditions imposed by *Iowa Code* Sections 306.22, 306.23, 306.24, and 306.25, including the right of a utility association, company or corporation to continue in possession of a right of way in use at the time of the sale.



Grry E. Branstad, Governor of Iowa

Matt Schultz, Iowa Secretary of State

I hereby certify that the foregoing Patent is recorded in Vol. 26 Page 99 in the State Land Office.

Matt Schultz, Iowa Secretary of State

Prepared by: Craig J. Steffensmeier 2234 Benton Avenue, Mt. Pleasant, IA 52641 (319)—696—1008 And Return To: Proposed Description: See Attached IOWA DEPARTMENT OF TRANSPORTATION PLAT OF SURVEY AUDITOR'S PARCEL COUNTY Wapello _ STATE CONTROL NO. _ NHSN-34-7(69)--2R-90PROJECT NO. 136 _ PARCEL NO. _ 28 SECTION. 7<u>2N</u> __TOWNSHIP__ 13W RANGE ACQUIRED FROM Harry Meier, Trustee of Meier Revocable Trust EXCESS PARCEL ±29.23 AC NO ACCESS CONTROL ACCESS POINTS _____ LegendPoint Station Station Offset Point Offset PK Nail in Stone Ledge (Set) 215+55.937 79.000m 52.000m 220+11.867 В 217+00.000 81.000m 220+02.524 60.234m 5/8" Rebar (Set) C 218+50.000 64.000m Ν 219+13.289 141.270m 219+90.146 72.000m 178.792m 218+51.294 217+22.166 215+69.750 0 198.003m Rebar (Found) 219+60.330 281.887m 219+00.645 227.922m 379.133m Mon. w/ Al. Cap (Found) G 272+35.980 78.787m 215+47.866 395.259m 218+72.411 219+33.780 220+23.015 Н 213.666m S 213+71.151 101.639m Stone (Found) 213+83.026 163.834m 104.392m 214+51.696 82.798m 86.104m ⋈ R.O.W. Rail (Found) 220+34.230 73.000m 217+00.000 70,000m (m) meters Found 5/8" Rebar Set 5/8" Rebar 11.50' w\Yellow Cap#13159 NW Corner SW 1/4 3.506m NE Corner SW 1/4 Sec. 28-72-13 Sec. 28-72-13 North Line SW 1/4 Sec. 28-72-13 N 89°38'56" E A N 89°38'56" E S 89°38'56" W 136.8.91, 353.113m 5>:30.01 475.04' 144.794m N 62.57.30" 363.48' 110.789m 594.00'(R) 7 ଚ 181.052m E Primary Road No. U.S. ±10' Offset 410 S Top Surface Lasi Line see Station quation Note 5/8" Rebar ?71+11.588 145.090m Found 5/8" CS Sta. 217, WC N 72. '2°40'34" 459.99" 217 185.633 #3₄ 140.207m 260.650m Found 5/8" 1320.57' 402.510m , ₩ 93m West Line N 1/2 SW 1/4 Sec. 28-72-13 00°47 7. 218+ Repar 69.24.53..633 Fot 15 1.89,/357.1 Auditor's Parcel "C" Z ± 29.23 Acres ± 0.67 Acres in County R.O.W. 39.41° 3.988r 3.988r 57°3′ 3.0.W. S 66°57'23" 609.05'3" 185.638m 5/8" rebar | 272+03.588 68°20'52" 276.79' 84.367m North R.O.W. Line Old US Road No. 34 68°20'31 ⊤Rail S 50° W \±1.0' of Corner S 89°22'57" 682.14' 207.917m W **c**5 ÌР Found 5 SC Sta. 1275.80' 388.864m South R.O.W. Line 89'40'25" W Old US Road No. 34 1219.80 371.795m S 89°40'25" Set 5/8" Rebar 3 W SE Corner Set 5/8" Rebar R = 5729.65' 00°47'10" 157, 10m N 1/2 SW 1/4 ⊞SW Corner Centerline Old US Road No. 34 Sec. 28-72-13 South Line N 1/2 SW 1/4 Sec. 28-72-13 1320. N 1/2 SW 1/4 N 1/2 3m ./ EQ Sec. 28-72-13 P.O.B. Centerline Burlington-Found Stone Z Northern Railroad North Set of Rails Found 1/2" Rebar Axel 1' South SW Corner SW 1/4 Sec. 28-72-13 SE Corner SW 1/4 Ó Sec. 28-72-13 N 89°41'55" E 2596,03 791.271m SCALE: 1" = 400' Station Equation Note: P.O.T. Sta. 220+87.870(Back) P.O.T. Sta. 271+00.000(Ahead 200 400 800 I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed Land Surveyor under the laws of the State awa. CONTROL OF THE STATE OF THE STA of lowa. 1-19-2011 Wall at Craig J. Steffensmeier, R.L.S. License number: 15216 My license renewal date is December 31, 2011 Pages or sheets covered by this seal: 3 Owner: State of Iowa Date of Survey: 6—17—2010 | Field Book: Hwy#34 | Drawn By: C.J.S. | Sheet: 2 of 3 Prepared by: Craig J. Steffensmeier 2234 Benton Avenue, Mt. Pleasant, IA 52641 (319)-696-1008 And Return To:

IOWA DEPARTMENT OF TRANSPORTATION PLAT OF SURVEY AUDITOR'S PARCEL "C"

COUNTY Wapello			STATE (STATE CONTROL NO.		
PROJECT NO	NHSN-34-7(69)					
SECTION	28	TOWNSHIP_	72N	RANGE	13W	
	Harry Meier, Trus					
EXCESS PARCEL	±29.23 AC	ACCESS	POINTS	NO ACCESS	CONTROL	

Centerline Curves — Primary Road No. U.S. #34

Centerline/R.O.W. Curves - Old Road No. #34/110th Avenue

	Curve Table — Feet									
ld	Delta	Radius	Arc Length	Tangent	Chord	Ch Bear .				
C2	01°42'21"	1372.32'	40.86'	20.43'	40.86'	N 69°11'42" E				
C3	02°12'01"	1272.32'	48.86'	24.43'	48.86'	N 69°26'32" E				
C4	06°21'07"	2341.17	259.54'	129.90'	259.41	N 71°31'04" E				
C5	13°59'59"	2258.17	551.77'	277.26'	550.40'	S 82°22'57" W				
C6	18"19'45"	578.24'	184.98'	93.29'	184.19'	N 11°07'22" W				
C7	13°59'59"	2291.17	559.83'	281.32'	558.44	N 82°22'57" E				
C8	52°24'00"	1322.32'	1209.33	650.66	1167.62	S 85°27'29" E				

	Line Table									
ld	Bearing	Distance								
L1	S 89°40'25" W	44.46'	13.553m							
L2	S 89°40'25" W	103.68	31.603m							
L3	N 04°59'09" E	363.77	110.876m							
L4	S 04°59'09" W	369.10'	112.502m							
L5	N 29°57'18" W	253.62'	77.304m							
L6	S 29°57'18" E	251.09	76.532m							
L7	S 00°55'40" E	147.58	44.982m							
LB	N 00°55'40" W	331.77	101.123m							
L9	S 40°51'09" E	42.44"	12.936m							
L10	S 68°41'14" E	246.11	75.015m							