Prepared by\ Return to:

Cyndy Howell, IA Department of Transportation, Right of Way Office, 800 Lincoln Way, Ames, IA 50010, 515-239-1534 Address Tax Statements: Lime Rock Springs Co., 10537 Rt. 52 North, Dubuque, IA 52001

THIS CORRECTION PATENT IS ISSUED IN LIEU OF PATENT 5891WHICH WAS FILED FOR RECORD IN THE OFFICE OF THE DUBUQUE COUNTY RECORDER ON NOVEMBER 14, 2013, DOC #201300017728.

#### State of Iowa

#### OFFICE OF THE SECRETARY OF STATE

Patent No.

#### STATE LAND OFFICE

The STATE OF IOWA, subject to conditions listed in this patent, hereby conveys to Lime Rock Springs Co., real estate in Dubuque County, Iowa, and more particularly described as follows:

That part of Mozena Farm located in the SE¼ SW¼, SW¼ SE¼, SE¼ SE½, in Section 10, and in the NE¼ NE¼ and the SE¼ NE½ in Section 15, all in Township 89N, Range 2E of the 5<sup>th</sup> P.M., Dubuque, County, Iowa, as shown and described in the Plat of Survey recorded as File Number 2005-00017498 in the records of the Dubuque County Recorder on October 25, 2005 containing 78.39 acres including 0.51 acre in present established road.

Direct access between the above described parcel of land and IA 32 will be prohibited with an exception at Station

The State retains the right of entry thereon for the purpose of constructing and maintaining the right of way fence. The fence shall be maintained for vehicle access control purposes only. The State will be held blameless and without liability for fencing private property or maintaining the same. The buyer may pasture against said fence at their own peril and the State will be held blameless and without liability for fencing private property or maintaining the same to restrain

These provisions run with the land and are binding upon buyers, their heirs, successors, and assigns.

Declaration of Value Filing is not required, as the State of lowa is the Grantor and exempt from such filing by Section 428A.2(6) of the Code of Iowa.

CONDITIONS: Authority and consideration for issuance of this patent are stated in the certificate of the Right of Way Director of the Iowa Department of Transportation filed with the State Land Office as provided in lowa Code Section 9G.6. This conveyance is subject to the conditions imposed by lowa Code Sections 306.22, 306.23, 306.24, and 306.25, including the right of a utility association, company or corporation to continue in possession of a right of way in use at the time of the sale.



I. Terry E. Branstad, Governor of the State of lowa, have caused this instrument to be issued and the Great Seal of the State of Iowa to be affixed to it at Des Moines, on this 14th day of Taken ber, 2013.

Branstad, Governor of Iowa

Matt-Schultz, Iowa Secretary of State

I hereby certify that the foregoing Patent is recorded in Vol. 26 Office.

Matt Schuftz, Iowa Secretary of State

Page 128 in the State Land


## PLAT OF SURVEY MOZENA FARM SOUTH IOWA DEPARTMENT OF TRANSPORTATION PLAT 1 OF 4



COUNTY			STATE CONTROL NO	
		(3)2J-31	PARCEL NO	24
SECTION	AND 15	TOWNSHIP	89 NORTH RANGE_	2 EAST
AREA	39 ACRES*	<del></del>	•	
ACQUIRED FROM	GANTZ EN	ITERPRISES		
	* INCLUDING	0.51 ACRE IN PRES	ENT ESTABLISHED ROAD (W	32nd ST.)
SURVEY REQUES	TED BY OWNER	₹:	AREA BREAKDO	WN
STATE O		.	SE1/4 SW1/4 SEC. 10-89-2	
			SW1/4 SE1/4 SEC. 10-89-7 SE1/4 SE1/4 SEC. 10-89-7	
			NE1/4 NE1/4 SEC. 15-89-7 SE1/4 NE1/4 SEC. 15-89-7	2E 40.58 AC. 2E 2.61 AC.
	•		SE1/4 NE1/4 SEC. 15-89-2	ZE 0.51 AC. PRES. RD. 78.39 AC.
			INCLUDING	0.51 AC. IN PRES. RD.
·			1 06	
- Wil			1,2, 8,2	ONTAGE OF
5, 9		, D	METRIC PC STA 71+89.487 FD.34" REBAR	CURVE DET OF SEE SEE SEE SEE
, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1	.\\ \ \	METRIC PC	\$\langle \chi_{\rho}\delta_{\rh
$\sqrt{1}\sqrt{1}$	·	5M	STA 71+89.487	, 50
		~ ~ ~ °	FD.34" REBAR	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
J.C.		5	·-	
SV	1 1			
5K -			?	1
METRIC PT STA 66+34.596 FD. 34" REBAR		PRIMARY ROAD NO. 3		
R I C 6 + 3 4 " R		PRIMARY ROAD E)		
MET D.3.	٠		2194.91	/// 8 <sub>4</sub>
rs .		27'32"		//// g.b
		N 72° 27' 32"		/// ₹~
	<u> </u>			//// <del>F</del> A
				CONT INUED PLAT 2 OF
METRIC STA 66+40-358				000 000
\$TA 66+40.358 \$\psi\$ 292.41'		<u> </u>	4770 55	9 d
STA 66+40.358 © 292.41'	30'20"W- 7'MEAS.	S 88°44′20″	X 1330-51	00 14
STA 66+40.358 \$\psi\$ 292.41'  S 88°: 400.7	30'20"W 7'MEAS.		NW CORNER - NE1/4 NE1.	
STA 66+40.358 © 292.41'  S 88°: 400.7	30'20"W 7'MEAS.	POINT OF	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE	14
STA 66+40.358 © 292.41'  S 88°: 400.7	7'MEAS.	POINT OF BEGINNING S1/4 CORNER	NW CORNER - NE1/4 NE1 SEC. 15-89-2E SE CORNER - SW1/4 SE SEC. 10-89-2E SET 5% REBAR WITH R	ED CONTINUED ON
STA 66+40.358 © 292.41'  S 88°: 400.7	7'MEAS.	POINT OF BEGINNING S1/4 CORNER	NW CORNER - NE1/4 NE1 SEC. 15-89-2E SE CORNER - SW1/4 SE SEC. 10-89-2E SET 5% REBAR WITH R	ED CONTINUED ON
STA 66+40.358 © 292.41'  S 88°: 400.7	7'MEAS.	POINT OF BEGINNING S1/4 CORNER	NW CORNER - NE1/4 NE1 SEC. 15-89-2E SE CORNER - SW1/4 SE SEC. 10-89-2E SET 5% REBAR WITH R	CONTINUED ON
" REBAR WITH OW CAP J.L.W. L.S. # 4016 Σ. 90 × 2 × 4016 Σ. 90 × 401	7'MEAS.	POINT OF BEGINNING S1/4 CORNER	NW CORNER - NE1/4 NE1 SEC. 15-89-2E SE CORNER - SW1/4 SE SEC. 10-89-2E SET 5% REBAR WITH R	CONTINUED ON
φ γ γ ε ε ε ε ε ε ε ε ε ε ε ε ε ε ε ε ε	7'MEAS.	POINT OF BEGINNING S1/4 CORNER	NW CORNER - NE1/4 NE1 SEC. 15-89-2E SE CORNER - SW1/4 SE SEC. 10-89-2E SET 5% REBAR WITH R	CONTINUED ON
дээ ээ	7'MEAS.	POINT OF BEGINNING S1/4 CORNER	NW CORNER - NE1/4 NE1 SEC. 15-89-2E SE CORNER - SW1/4 SE SEC. 10-89-2E SET 5% REBAR WITH R	CONTINUED ON
дээ ээ	7'MEAS.	POINT OF BEGINNING S1/4 CORNER	NW CORNER - NE1/4 NE1 SEC. 15-89-2E SE CORNER - SW1/4 SE SEC. 10-89-2E SET 5% REBAR WITH R	CONTINUED ON
DONDEL INGER PLACE	7'MEAS.	POINT OF BEGINNING S1/4 CORNER	NW CORNER - NE1/4 NE1 SEC. 15-89-2E SE CORNER - SW1/4 SE SEC. 10-89-2E SET 5% REBAR WITH R	CONTINUED ON
THEBAR WITH  P.L.S. # 4016  P.L.S. # 4016  P.L.S. # 4016  P.L.S. # 4016  ATTIMATED TO	7'MEAS.	POINT OF BEGINNING S1/4 CORNER	NW CORNER - NE1/4 NE1 SEC. 15-89-2E SE CORNER - SW1/4 SE SEC. 10-89-2E SET 5% REBAR WITH R	CONTINUED ON
THIN BEBAR WITH  PL.S. # A016  PL.S. # 4016  PL.S. # 4016  PL.S. # 4016  PL.S. # A016	7'MEAS.	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5% REBAR WITH R PLASTIC CAP PLS # 10	CONTINUED ON
STA 66+40.358  \$\phi\$ 292.41'	FD.5% REBAR WITH YELLOW CAP J.L.W. P.L.S. # 4016	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  A  Meter = 3.28083 "m" indicates mea All Stationing is	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5% REBAR WITH R PLASTIC CAP PLS # 10	CONTINUED ON
THEBAR WITH  P.L.S. # 4016  P.L.S. # 4016  P.L.S. # 4016  P.L.S. # 4016  ATTIMATED TO	FD.5% REBAR WITH YELLOW CAP J.L.W. P.L.S. # 4016	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  A  Meter = 3.28083 "m" indicates mea All Stationing is	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5% REBAR WITH R PLASTIC CAP PLS # 10	CONTINUED ON
STA 66+40.358  \$\phi\$ 292.41'	Thereby certify that the spreaded by me or un	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  1 Meter = 3.28083 "m" indicates med All Stationing is one-hundred meter  is land surveying document der my direct personal	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE: SEC. 10-89-2E  SET 50 REBAR WITH R PLASTIC CAP PLS # 10	CONTINUED ON PLAT 3 OF 4
STA 66+40.358  \$\phi\$ 292.41'	FD. S.g." REBAR WITH YELLOW CAP J.L.W. P.L.S. # 4016	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  1 Meter = 3.28083 "m" indicates med All Stationing is one-hundred meter is land surveying document dor my direct personal m a duly licensed Land	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5% REBAR WITH R PLASTIC CAP PLS # 10	CONTINUED ON PLAT 3 OF 4
TO DONDEL INGER PLACE	Thereby cartify that the was prepared by me or un supervision and that I a Surveyor under the laws	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  1 Meter = 3.28083 "m" indicates med All Stationing is one-hundred meter is land surveying document dor my direct personal m a duly licensed Land of the State of lowe.	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5% REBAR WITH R PLASTIC CAP PLS # 10  A  A  O = SET 5% REBAR WITH  O = SET 5% RE	CONTINUED ON PLAT 3 OF 4  WGO F
STA 66+40.358 © 292.41'  **EBAR WITH  **LOT 2  **LOT 2  **LOT 2  **LONDEL INGER PLACE  **PLOS # 4016  **PLOS # 4016  **PLOS # 4016	I hereby certify that the was prepared by me or un supervision and that I a Surveyor under the laws  DENNIS R. KUNZE	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  1 Meter = 3.28083 "m" indicates med All Stationing is one-hundred meter der my direct personal m a duly licensed Land of the State of lowe.  DATE:	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5% REBAR WITH R PLASTIC CAP PLS # 10  A  PLASTIC CAP PLS # 10  Surrement in meters. Sin Metric based on the station (1 Sta = 100m)  O = SET 5% REBAR W P.L.S	CONTINUED ON PLAT 3 OF 4  WGG F  WITH RED PLASTIC CAP  #10679
STA 66+40.358  © 292.41,  NELLOW CAP J.L.W.  P.L.S. # 4016  BONDEL INGER PLACE  ODNOEL INGER PLACE	I hereby certify that the was prepared by me or un supervision and that I a Surveyor under the laws  DENNIS R. KUNZE  License number	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  1 Meter = 3.28083 "m" indicates mea All Stationing is one-hundred meter dor my direct personal m a duly licensed Land of the State of lowe.  DATE: 10679	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5% REBAR WITH R PLASTIC CAP PLS # 10  A  O = SET 5% REBAR W P.L.S  PLAST SET SET SET SET SET SET SET SET SET S	CONTINUED ON PLAT 3 OF 4  WGG F  WITH RED PLASTIC CAP  #10679
STA 66+40.358  © 292.41,  NELLOW CAP J.L.W.  P.L.S. # 4016  BONDEL INGER PLACE  ODNOEL INGER PLACE	I hereby certify that the was prepared by me or un supervision and that I as Surveyor under the laws  DENNIS R. KUNZE  License number  My license renewal date  Pages covered by this s	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  1 Meter = 3.28083 "m" indicates med All Stationing is one-hundred meter is land surveying document der my direct personal m a duly licensed Land of the State of lowe.  9-1-2-5 DATE: 10679 is December 31. 2006 edi: PLAT 1 OF 4.	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5% REBAR WITH R PLASTIC CAP PLS # 10  A  O = SET 5% REBAR W P.L.S  = FOUND MONUMENT  - FENCE LINE	CONTINUED ON PLAT 3 OF 4  WITH RED PLASTIC CAP  WHOOTH  SET BY OTHERS
LICENOR AS SECONDEL INGER PLACE  LOCAL ACTION OF A SECONDEL INCERPORATION OF A SEC	I hereby certify that the was prepared by me or un supervision and that I as Surveyor under the laws  DENNIS R. KUNZE  License number  My license renewal date  Pages covered by this s	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  1 Meter = 3.28083 "m" indicates med All Stationing is one-hundred meter is land surveying document dor my direct personal m a duly licensed Land of the State of lowa.  DATE:  10679 is December 31, 2006	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5/8" REBAR WITH R PLASTIC CAP PLS # 10  A  Sin Metric based on the station (1 Sta = 100m)  PLECE  SET 5/8" REBAR W P.L.S  FOUND MONUMENT  FENCE LINE  O' 150' 300'  SEC. 15-89-2E  SEC. 10-89-2E  SE	CONTINUED ON PLAT 3 OF 4  WGG F  WITH RED PLASTIC CAP  #10679
LICENOR AS SECONDEL INGER PLACE  LOCAL ACTION OF A SECONDEL INCERPORATION OF A SEC	Thereby cartify that the was prepared by me or unsupervision and that 1 a Surveyor under the laws  DENNIS R. KUNZE  License number  My license renewal date  Pages covered by this s  PLAT 2 OF 4. PLAT 3	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  1 Meter = 3.28083 "m" indicates med All Stationing is one-hundred meter is land surveying document dor my direct personal ma duly licensed Land of the State of lowa.  DATE:  10679 is December 31, 2006 edi: PLAT 1 OF 4, OF 4, AND PLAT 4 OF 4	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5/8" REBAR WITH R PLASTIC CAP PLS # 10  A  O = SET 5/8" REBAR WITH R PLASTIC CAP PLS # 10  O = SET 5/8" REBAR W P.L.S  FOUND MONUMENT  = FENCE LINE  O' 150' 300'  SCALE 1" = 300'	CONTINUED ON PLAT 3 OF 4  WHEN THE PLASTIC CAP  WHO FINANCIAL CAP  WHO FINANCIAL CAP  SET BY OTHERS  M 54m 108m  SCALE 1:3600
LICENOR AS SECONDEL INGER PLACE  LOCAL ACTION OF A SECONDEL INCERPORATION OF A SEC	Thereby cartify that the was prepared by me or unsupervision and that 1 a Surveyor under the laws  DENNIS R. KUNZE  License number  My license renewal date  Pages covered by this s  PLAT 2 OF 4. PLAT 3	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  1 Meter = 3.28083 "m" indicates med All Stationing is one-hundred meter is land surveying document der my direct personal m a duly licensed Land of the State of lowe.  9-1-2-5 DATE: 10679 is December 31. 2006 edi: PLAT 1 OF 4.	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5/8" REBAR WITH R PLASTIC CAP PLS # 10  A  Sin Metric based on the station (1 Sta = 100m)  PLECE  SET 5/8" REBAR W P.L.S  FOUND MONUMENT  FENCE LINE  O' 150' 300'  SEC. 15-89-2E  SEC. 10-89-2E  SE	CONTINUED ON PLAT 3 OF 4  WITH RED PLASTIC CAP  WHOOFP SET BY OTHERS  M 54m 108m
LICENOR AS SECONDEL INGER PLACE  LOCAL ACTION OF A SECONDEL INCERPORATION OF A SEC	Thereby certify that the was prepared by me or unsupervision and that is a Surveyor under the laws  DENNIS R. KUNZE  License number  My license renewal date  Pages covered by this s  PLAT 2 OF 4. PLAT 3	POINT OF BEGINNING S1/4 CORNER SEC. 10-89-2E FOUND STD.CONC.MONU.  1 Meter = 3.28083 "m" indicates med All Stationing is one-hundred meter is land surveying document dor my direct personal ma duly licensed Land of the State of lowa.  DATE:  10679 is December 31, 2006 edi: PLAT 1 OF 4, OF 4, AND PLAT 4 OF 4	NW CORNER - NE1/4 NE1.  SEC. 15-89-2E  SE CORNER - SW1/4 SE  SEC. 10-89-2E  SET 5/8" REBAR WITH R PLASTIC CAP PLS # 10  A  Consider the second of the restation (1 Sta = 100m)  Consider the second months and the restation (1 Sta = 100m)  Consider the second months are second months and the restation (1 Sta = 100m)  Consider the second months are second	CONTINUED ON PLAT 3 OF 4  WHEN THE PLASTIC CAP  WHO FINANCIAL CAP  WHO FINANCIAL CAP  SET BY OTHERS  M 54m 108m  SCALE 1:3600

# PLAT OF SURVEY MOZENA FARM SOUTH IOWA DEPARTMENT OF TRANSPORTATION PLAT 2 OF 4






PAGE 3 OF 6

AUGUST 18, 2005

0' 150' 300' SCALE 1" = 300' ENGLISH




SCALE 1" = 300'

DATE DRAWN \_\_\_

#### PLAT OF SURVEY MOZENA FARM SOUTH IOWA DEPARTMENT OF PLAT 3 TRANSPORTATION OF



DUBUQUE COUNTY \_ STATE CONTROL NO. STPN-32-1(3)--2J-31 PROJECT NO. 24 PARCEL NO. SECTION \_\_\_\_10 AND 15 89 NORTH TOWNSHIP. EAST RANGE



DATE DRAWN .

SCALE \_

### PLAT OF SURVEY MOZENA FARM SOUTH . IOWA DEPARTMENT OF TRANSPORTATION PLAT 4 OF 4



COUNTY \_\_\_\_\_ DUBUQUE \_\_\_\_\_ STATE CONTROL NO. \_\_\_\_\_
PROJECT NO. \_\_\_\_ STPN-32-1(3)--2J-31 \_\_\_\_ PARCEL NO. \_\_\_ 24
SECTION \_\_\_\_ 10 AND 15 \_\_\_\_ TOWNSHIP \_\_\_\_ 89 NORTH RANGE \_\_\_ 2 EAST \_\_\_\_\_

